




CRIMP-MESH PANEL



C	20	25	25	3
Crimp-Mesh Panel	Panel Height	Panel Width	Mesh Size	Wire Diameter
20	2000 mm	25 250 mm	25 20 × 50 mm	3 3.0 mm
22	2200 mm	50 500 mm	21 20 × 100 mm	4 4.0 mm
25	2500 mm	75 750 mm	33 30 × 30mm	5 5.0 mm
		100 1000 mm	44 40 × 40 mm	
		150 1500 mm	55 50 × 50 mm	
		175 1750 mm		
		200 2000 mm		

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C2025253	2000	250	20 × 50	3.0	120
C2025254	2000	250	20 × 50	4.0	120
C2025255	2000	250	20 × 50	5.0	120
C2025213	2000	250	20 × 100	3.0	120
C2025214	2000	250	20 × 100	4.0	120
C2025215	2000	250	20 × 100	5.0	120
C2025333	2000	250	30 × 30	3.0	120
C2025334	2000	250	30 × 30	4.0	120
C2025335	2000	250	30 × 30	5.0	120
C2025443	2000	250	40 × 40	3.0	200
C2025444	2000	250	40 × 40	4.0	200
C2025445	2000	250	40 × 40	5.0	200
C2025553	2000	250	50 × 50	3.0	850
C2025554	2000	250	50 × 50	4.0	850
C2025555	2000	250	50 × 50	5.0	850
C2050253	2000	500	20 × 50	3.0	120
C2050254	2000	500	20 × 50	4.0	120
C2050255	2000	500	20 × 50	5.0	120
C2050213	2000	500	20 × 100	3.0	120
C2050214	2000	500	20 × 100	4.0	120
C2050215	2000	500	20 × 100	5.0	120
C2050333	2000	500	30 × 30	3.0	120
C2050334	2000	500	30 × 30	4.0	120
C2050335	2000	500	30 × 30	5.0	120
C2050443	2000	500	40 × 40	3.0	200
C2050444	2000	500	40 × 40	4.0	200
C2050445	2000	500	40 × 40	5.0	200

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C2050553	2000	500	50 × 50	3.0	850
C2050554	2000	500	50 × 50	4.0	850
C2050555	2000	500	50 × 50	5.0	850
C2075253	2000	750	20 × 50	3.0	120
C2075254	2000	750	20 × 50	4.0	120
C2075255	2000	750	20 × 50	5.0	120
C2075213	2000	750	20 × 100	3.0	120
C2075214	2000	750	20 × 100	4.0	120
C2075215	2000	750	20 × 100	5.0	120
C2075333	2000	750	30 × 30	3.0	120
C2075334	2000	750	30 × 30	4.0	120
C2075335	2000	750	30 × 30	5.0	120
C2075443	2000	750	40 × 40	3.0	200
C2075444	2000	750	40 × 40	4.0	200
C2075445	2000	750	40 × 40	5.0	200
C2075553	2000	750	50 × 50	3.0	850
C2075554	2000	750	50 × 50	4.0	850
C2075555	2000	750	50 × 50	5.0	850
C20100253	2000	1000	20 × 50	3.0	120
C20100254	2000	1000	20 × 50	4.0	120
C20100255	2000	1000	20 × 50	5.0	120
C20100213	2000	1000	20 × 100	3.0	120
C20100214	2000	1000	20 × 100	4.0	120
C20100215	2000	1000	20 × 100	5.0	120
C20100333	2000	1000	30 × 30	3.0	120
C20100334	2000	1000	30 × 30	4.0	120
C20100335	2000	1000	30 × 30	5.0	120



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C2025253	2000	250	20 × 50	3.0	120
C2025254	2000	250	20 × 50	4.0	120
C2025255	2000	250	20 × 50	5.0	120
C2025213	2000	250	20 × 100	3.0	120
C2025214	2000	250	20 × 100	4.0	120
C2025215	2000	250	20 × 100	5.0	120
C2025333	2000	250	30 × 30	3.0	120
C2025334	2000	250	30 × 30	4.0	120
C2025335	2000	250	30 × 30	5.0	120
C2025443	2000	250	40 × 40	3.0	200
C2025444	2000	250	40 × 40	4.0	200
C2025445	2000	250	40 × 40	5.0	200
C2025553	2000	250	50 × 50	3.0	850
C2025554	2000	250	50 × 50	4.0	850
C2025555	2000	250	50 × 50	5.0	850
C2050253	2000	500	20 × 50	3.0	120
C2050254	2000	500	20 × 50	4.0	120
C2050255	2000	500	20 × 50	5.0	120
C2050213	2000	500	20 × 100	3.0	120
C2050214	2000	500	20 × 100	4.0	120
C2050215	2000	500	20 × 100	5.0	120
C2050333	2000	500	30 × 30	3.0	120
C2050334	2000	500	30 × 30	4.0	120
C2050335	2000	500	30 × 30	5.0	120
C2050443	2000	500	40 × 40	3.0	200
C2050444	2000	500	40 × 40	4.0	200
C2050445	2000	500	40 × 40	5.0	200
C20100443	2000	1000	40 × 40	3.0	200
C20100444	2000	1000	40 × 40	4.0	200
C20100445	2000	1000	40 × 40	5.0	200
C20100553	2000	1000	50 × 50	3.0	850
C20100554	2000	1000	50 × 50	4.0	850
C20100555	2000	1000	50 × 50	5.0	850
C20125253	2000	1250	20 × 50	3.0	120
C20125254	2000	1250	20 × 50	4.0	120
C20125255	2000	1250	20 × 50	5.0	120
C20125213	2000	1250	20 × 100	3.0	120
C20125214	2000	1250	20 × 100	4.0	120
C20125215	2000	1250	20 × 100	5.0	120
C20125333	2000	1250	30 × 30	3.0	120
C20125334	2000	1250	30 × 30	4.0	120
C2050553	2000	500	50 × 50	3.0	850
C2050554	2000	500	50 × 50	4.0	850
C2050555	2000	500	50 × 50	5.0	850
C2075253	2000	750	20 × 50	3.0	120

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C2075254	2000	750	20 × 50	4.0	120
C2075255	2000	750	20 × 50	5.0	120
C2075213	2000	750	20 × 100	3.0	120
C2075214	2000	750	20 × 100	4.0	120
C2075215	2000	750	20 × 100	5.0	120
C2075333	2000	750	30 × 30	3.0	120
C2075334	2000	750	30 × 30	4.0	120
C2075335	2000	750	30 × 30	5.0	120
C2075443	2000	750	40 × 40	3.0	200
C2075444	2000	750	40 × 40	4.0	200
C2075445	2000	750	40 × 40	5.0	200
C2075553	2000	750	50 × 50	3.0	850
C2075554	2000	750	50 × 50	4.0	850
C2075555	2000	750	50 × 50	5.0	850
C20100253	2000	1000	20 × 50	3.0	120
C20100254	2000	1000	20 × 50	4.0	120
C20100255	2000	1000	20 × 50	5.0	120
C20100213	2000	1000	20 × 100	3.0	120
C20100214	2000	1000	20 × 100	4.0	120
C20100215	2000	1000	20 × 100	5.0	120
C20100333	2000	1000	30 × 30	3.0	120
C20100334	2000	1000	30 × 30	4.0	120
C20100335	2000	1000	30 × 30	5.0	120
C20125335	2000	1250	30 × 30	5.0	120
C20125443	2000	1250	40 × 40	3.0	200
C20125444	2000	1250	40 × 40	4.0	200
C20125445	2000	1250	40 × 40	5.0	200
C20125553	2000	1250	50 × 50	3.0	850
C20125554	2000	1250	50 × 50	4.0	850
C20125555	2000	1250	50 × 50	5.0	850
C20150253	2000	1500	20 × 50	3.0	120
C20150254	2000	1500	20 × 50	4.0	120
C20150255	2000	1500	20 × 50	5.0	120
C20150213	2000	1500	20 × 100	3.0	120
C20150214	2000	1500	20 × 100	4.0	120
C20150215	2000	1500	20 × 100	5.0	120
C20150333	2000	1500	30 × 30	3.0	120
C20150334	2000	1500	30 × 30	4.0	120
C20150335	2000	1500	30 × 30	5.0	120
C20150443	2000	1500	40 × 40	3.0	200
C20150444	2000	1500	40 × 40	4.0	200
C20150445	2000	1500	40 × 40	5.0	200
C20150553	2000	1500	50 × 50	3.0	850
C20150554	2000	1500	50 × 50	4.0	850
C20150555	2000	1500	50 × 50	5.0	850



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C20175253	2000	1750	20 × 50	3.0	120
C20175254	2000	1750	20 × 50	4.0	120
C20175255	2000	1750	20 × 50	5.0	120
C20175213	2000	1750	20 × 100	3.0	120
C20175214	2000	1750	20 × 100	4.0	120
C20175215	2000	1750	20 × 100	5.0	120
C20175333	2000	1750	30 × 30	3.0	120
C20175334	2000	1750	30 × 30	4.0	120
C20175335	2000	1750	30 × 30	5.0	120
C20175443	2000	1750	40 × 40	3.0	200
C20175444	2000	1750	40 × 40	4.0	200
C20175445	2000	1750	40 × 40	5.0	200
C20175553	2000	1750	50 × 50	3.0	850
C20175554	2000	1750	50 × 50	4.0	850
C20175555	2000	1750	50 × 50	5.0	850
C20200253	2000	2000	20 × 50	3.0	120
C20200254	2000	2000	20 × 50	4.0	120
C20200255	2000	2000	20 × 50	5.0	120
C20200213	2000	2000	20 × 100	3.0	120
C20200214	2000	2000	20 × 100	4.0	120
C20200215	2000	2000	20 × 100	5.0	120
C20200333	2000	2000	30 × 30	3.0	120
C20200334	2000	2000	30 × 30	4.0	120
C20200335	2000	2000	30 × 30	5.0	120
C20200443	2000	2000	40 × 40	3.0	200
C20200444	2000	2000	40 × 40	4.0	200
C20200445	2000	2000	40 × 40	5.0	200
C20200553	2000	2000	50 × 50	3.0	850
C20200554	2000	2000	50 × 50	4.0	850
C20200555	2000	2000	50 × 50	5.0	850
C2225253	2200	250	20 × 50	3.0	120
C2225254	2200	250	20 × 50	4.0	120
C2225255	2200	250	20 × 50	5.0	120
C2225213	2200	250	20 × 100	3.0	120
C2225214	2200	250	20 × 100	4.0	120
C2225215	2200	250	20 × 100	5.0	120
C2225333	2200	250	30 × 30	3.0	120
C2225334	2200	250	30 × 30	4.0	120
C2225335	2200	250	30 × 30	5.0	120
C2225443	2200	250	40 × 40	3.0	200
C2225444	2200	250	40 × 40	4.0	200
C2225445	2200	250	40 × 40	5.0	200
C2225553	2200	250	50 × 50	3.0	850
C2225554	2200	250	50 × 50	4.0	850
C2225555	2200	250	50 × 50	5.0	850

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C2250253	2200	500	20 × 50	3.0	120
C2250254	2200	500	20 × 50	4.0	120
C2250255	2200	500	20 × 50	5.0	120
C2250213	2200	500	20 × 100	3.0	120
C2250214	2200	500	20 × 100	4.0	120
C2250215	2200	500	20 × 100	5.0	120
C2250333	2200	500	30 × 30	3.0	120
C2250334	2200	500	30 × 30	4.0	120
C2250335	2200	500	30 × 30	5.0	120
C2250443	2200	500	40 × 40	3.0	200
C2250444	2200	500	40 × 40	4.0	200
C2250445	2200	500	40 × 40	5.0	200
C2250553	2200	500	50 × 50	3.0	850
C2250554	2200	500	50 × 50	4.0	850
C2250555	2200	500	50 × 50	5.0	850
C2275253	2200	750	20 × 50	3.0	120
C2275254	2200	750	20 × 50	4.0	120
C2275255	2200	750	20 × 50	5.0	120
C2275213	2200	750	20 × 100	3.0	120
C2275214	2200	750	20 × 100	4.0	120
C2275215	2200	750	20 × 100	5.0	120
C2275333	2200	750	30 × 30	3.0	120
C2275334	2200	750	30 × 30	4.0	120
C2275335	2200	750	30 × 30	5.0	120
C2275443	2200	750	40 × 40	3.0	200
C2275444	2200	750	40 × 40	4.0	200
C2275445	2200	750	40 × 40	5.0	200
C2275553	2200	750	50 × 50	3.0	850
C2275554	2200	750	50 × 50	4.0	850
C2275555	2200	750	50 × 50	5.0	850
C22100253	2200	1000	20 × 50	3.0	120
C22100254	2200	1000	20 × 50	4.0	120
C22100255	2200	1000	20 × 50	5.0	120
C22100213	2200	1000	20 × 100	3.0	120
C22100214	2200	1000	20 × 100	4.0	120
C22100215	2200	1000	20 × 100	5.0	120
C22100333	2200	1000	30 × 30	3.0	120
C22100334	2200	1000	30 × 30	4.0	120
C22100335	2200	1000	30 × 30	5.0	120
C22100443	2200	1000	40 × 40	3.0	200
C22100444	2200	1000	40 × 40	4.0	200
C22100445	2200	1000	40 × 40	5.0	200
C22100553	2200	1000	50 × 50	3.0	850
C22100554	2200	1000	50 × 50	4.0	850
C22100555	2200	1000	50 × 50	5.0	850



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C22125253	2200	1250	20 × 50	3.0	120
C22125254	2200	1250	20 × 50	4.0	120
C22125255	2200	1250	20 × 50	5.0	120
C22125213	2200	1250	20 × 100	3.0	120
C22125214	2200	1250	20 × 100	4.0	120
C22125215	2200	1250	20 × 100	5.0	120
C22125333	2200	1250	30 × 30	3.0	120
C22125334	2200	1250	30 × 30	4.0	120
C22125335	2200	1250	30 × 30	5.0	120
C22125443	2200	1250	40 × 40	3.0	200
C22125444	2200	1250	40 × 40	4.0	200
C22125445	2200	1250	40 × 40	5.0	200
C22125553	2200	1250	50 × 50	3.0	850
C22125554	2200	1250	50 × 50	4.0	850
C22125555	2200	1250	50 × 50	5.0	850
C22150253	2200	1500	20 × 50	3.0	120
C22150254	2200	1500	20 × 50	4.0	120
C22150255	2200	1500	20 × 50	5.0	120
C22150213	2200	1500	20 × 100	3.0	120
C22150214	2200	1500	20 × 100	4.0	120
C22150215	2200	1500	20 × 100	5.0	120
C22150333	2200	1500	30 × 30	3.0	120
C22150334	2200	1500	30 × 30	4.0	120
C22150335	2200	1500	30 × 30	5.0	120
C22150443	2200	1500	40 × 40	3.0	200
C22150444	2200	1500	40 × 40	4.0	200
C22150445	2200	1500	40 × 40	5.0	200
C22150553	2200	1500	50 × 50	3.0	850
C22150554	2200	1500	50 × 50	4.0	850
C22150555	2200	1500	50 × 50	5.0	850
C22175253	2200	1750	20 × 50	3.0	120
C22175254	2200	1750	20 × 50	4.0	120
C22175255	2200	1750	20 × 50	5.0	120
C22175213	2200	1750	20 × 100	3.0	120
C22175214	2200	1750	20 × 100	4.0	120
C22175215	2200	1750	20 × 100	5.0	120
C22175333	2200	1750	30 × 30	3.0	120
C22175334	2200	1750	30 × 30	4.0	120
C22175335	2200	1750	30 × 30	5.0	120
C22175443	2200	1750	40 × 40	3.0	200
C22175444	2200	1750	40 × 40	4.0	200
C22175445	2200	1750	40 × 40	5.0	200
C22175553	2200	1750	50 × 50	3.0	850
C22175554	2200	1750	50 × 50	4.0	850
C22175555	2200	1750	50 × 50	5.0	850

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C22200253	2200	2000	20 × 50	3.0	120
C22200254	2200	2000	20 × 50	4.0	120
C22200255	2200	2000	20 × 50	5.0	120
C22200213	2200	2000	20 × 100	3.0	120
C22200214	2200	2000	20 × 100	4.0	120
C22200215	2200	2000	20 × 100	5.0	120
C22200333	2200	2000	30 × 30	3.0	120
C22200334	2200	2000	30 × 30	4.0	120
C22200335	2200	2000	30 × 30	5.0	120
C22200443	2200	2000	40 × 40	3.0	200
C22200444	2200	2000	40 × 40	4.0	200
C22200445	2200	2000	40 × 40	5.0	200
C22200553	2200	2000	50 × 50	3.0	850
C22200554	2200	2000	50 × 50	4.0	850
C22200555	2200	2000	50 × 50	5.0	850
C2525253	2500	250	20 × 50	3.0	120
C2525254	2500	250	20 × 50	4.0	120
C2525255	2500	250	20 × 50	5.0	120
C2525213	2500	250	20 × 100	3.0	120
C2525214	2500	250	20 × 100	4.0	120
C2525215	2500	250	20 × 100	5.0	120
C2525333	2500	250	30 × 30	3.0	120
C2525334	2500	250	30 × 30	4.0	120
C2525335	2500	250	30 × 30	5.0	120
C2525443	2500	250	40 × 40	3.0	200
C2525444	2500	250	40 × 40	4.0	200
C2525445	2500	250	40 × 40	5.0	200
C2525553	2500	250	50 × 50	3.0	850
C2525554	2500	250	50 × 50	4.0	850
C2525555	2500	250	50 × 50	5.0	850
C2550253	2500	500	20 × 50	3.0	120
C2550254	2500	500	20 × 50	4.0	120
C2550255	2500	500	20 × 50	5.0	120
C2550213	2500	500	20 × 100	3.0	120
C2550214	2500	500	20 × 100	4.0	120
C2550215	2500	500	20 × 100	5.0	120
C2550333	2500	500	30 × 30	3.0	120
C2550334	2500	500	30 × 30	4.0	120
C2550335	2500	500	30 × 30	5.0	120
C2550443	2500	500	40 × 40	3.0	200
C2550444	2500	500	40 × 40	4.0	200
C2550445	2500	500	40 × 40	5.0	200
C2550553	2500	500	50 × 50	3.0	850
C2550554	2500	500	50 × 50	4.0	850
C2550555	2500	500	50 × 50	5.0	850



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C2575253	2500	750	20 × 50	3.0	120
C2575254	2500	750	20 × 50	4.0	120
C2575255	2500	750	20 × 50	5.0	120
C2575213	2500	750	20 × 100	3.0	120
C2575214	2500	750	20 × 100	4.0	120
C2575215	2500	750	20 × 100	5.0	120
C2575333	2500	750	30 × 30	3.0	120
C2575334	2500	750	30 × 30	4.0	120
C2575335	2500	750	30 × 30	5.0	120
C2575443	2500	750	40 × 40	3.0	200
C2575444	2500	750	40 × 40	4.0	200
C2575445	2500	750	40 × 40	5.0	200
C2575553	2500	750	50 × 50	3.0	850
C2575554	2500	750	50 × 50	4.0	850
C2575555	2500	750	50 × 50	5.0	850
C25100253	2500	1000	20 × 50	3.0	120
C25100254	2500	1000	20 × 50	4.0	120
C25100255	2500	1000	20 × 50	5.0	120
C25100213	2500	1000	20 × 100	3.0	120
C25100214	2500	1000	20 × 100	4.0	120
C25100215	2500	1000	20 × 100	5.0	120
C25100333	2500	1000	30 × 30	3.0	120
C25100334	2500	1000	30 × 30	4.0	120
C25100335	2500	1000	30 × 30	5.0	120
C25100443	2500	1000	40 × 40	3.0	200
C25100444	2500	1000	40 × 40	4.0	200
C25100445	2500	1000	40 × 40	5.0	200
C25100553	2500	1000	50 × 50	3.0	850
C25100554	2500	1000	50 × 50	4.0	850
C25100555	2500	1000	50 × 50	5.0	850
C25125253	2500	1250	20 × 50	3.0	120
C25125254	2500	1250	20 × 50	4.0	120
C25125255	2500	1250	20 × 50	5.0	120
C25125213	2500	1250	20 × 100	3.0	120
C25125214	2500	1250	20 × 100	4.0	120
C25125215	2500	1250	20 × 100	5.0	120
C25125333	2500	1250	30 × 30	3.0	120
C25125334	2500	1250	30 × 30	4.0	120
C25125335	2500	1250	30 × 30	5.0	120
C25125443	2500	1250	40 × 40	3.0	200
C25125444	2500	1250	40 × 40	4.0	200
C25125445	2500	1250	40 × 40	5.0	200
C25125553	2500	1250	50 × 50	3.0	850
C25125554	2500	1250	50 × 50	4.0	850
C25125555	2500	1250	50 × 50	5.0	850

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
C25150253	2500	1500	20 × 50	3.0	120
C25150254	2500	1500	20 × 50	4.0	120
C25150255	2500	1500	20 × 50	5.0	120
C25150213	2500	1500	20 × 100	3.0	120
C25150214	2500	1500	20 × 100	4.0	120
C25150215	2500	1500	20 × 100	5.0	120
C25150333	2500	1500	30 × 30	3.0	120
C25150334	2500	1500	30 × 30	4.0	120
C25150335	2500	1500	30 × 30	5.0	120
C25150443	2500	1500	40 × 40	3.0	200
C25150444	2500	1500	40 × 40	4.0	200
C25150445	2500	1500	40 × 40	5.0	200
C25150553	2500	1500	50 × 50	3.0	850
C25150554	2500	1500	50 × 50	4.0	850
C25150555	2500	1500	50 × 50	5.0	850
C25175253	2500	1750	20 × 50	3.0	120
C25175254	2500	1750	20 × 50	4.0	120
C25175255	2500	1750	20 × 50	5.0	120
C25175213	2500	1750	20 × 100	3.0	120
C25175214	2500	1750	20 × 100	4.0	120
C25175215	2500	1750	20 × 100	5.0	120
C25175333	2500	1750	30 × 30	3.0	120
C25175334	2500	1750	30 × 30	4.0	120
C25175335	2500	1750	30 × 30	5.0	120
C25175443	2500	1750	40 × 40	3.0	200
C25175444	2500	1750	40 × 40	4.0	200
C25175445	2500	1750	40 × 40	5.0	200
C25175553	2500	1750	50 × 50	3.0	850
C25175554	2500	1750	50 × 50	4.0	850
C25175555	2500	1750	50 × 50	5.0	850
C25200253	2500	2000	20 × 50	3.0	120
C25200254	2500	2000	20 × 50	4.0	120
C25200255	2500	2000	20 × 50	5.0	120
C25200213	2500	2000	20 × 100	3.0	120
C25200214	2500	2000	20 × 100	4.0	120
C25200215	2500	2000	20 × 100	5.0	120
C25200333	2500	2000	30 × 30	3.0	120
C25200334	2500	2000	30 × 30	4.0	120
C25200335	2500	2000	30 × 30	5.0	120
C25200443	2500	2000	40 × 40	3.0	200
C25200444	2500	2000	40 × 40	4.0	200
C25200445	2500	2000	40 × 40	5.0	200
C25200553	2500	2000	50 × 50	3.0	850
C25200554	2500	2000	50 × 50	4.0	850
C25200555	2500	2000	50 × 50	5.0	850