




WELD-MESH PANELS



W	20	25	25	3		
Weld-Mesh Panel	Panel Height	Panel Width	Mesh Size	Wire Diameter		
20	2000 mm	25	25	20 × 50 mm	3	3.0 mm
22	2200 mm	50	21	20 × 100 mm	4	4.0 mm
25	2500 mm	75	33	30 × 30mm	5	5.0 mm
		100	44	40 × 40 mm		
		150	55	50 × 50 mm		
		175				
		200				

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W2025253	2000	250	20 × 50	3.0	120
W2025254	2000	250	20 × 50	4.0	120
W2025255	2000	250	20 × 50	5.0	120
W2025213	2000	250	20 × 100	3.0	120
W2025214	2000	250	20 × 100	4.0	120
W2025215	2000	250	20 × 100	5.0	120
W2025333	2000	250	30 × 30	3.0	120
W2025334	2000	250	30 × 30	4.0	120
W2025335	2000	250	30 × 30	5.0	120
W2025443	2000	250	40 × 40	3.0	200
W2025444	2000	250	40 × 40	4.0	200
W2025445	2000	250	40 × 40	5.0	200
W2025553	2000	250	50 × 50	3.0	850
W2025554	2000	250	50 × 50	4.0	850
W2025555	2000	250	50 × 50	5.0	850
W2050253	2000	500	20 × 50	3.0	120
W2050254	2000	500	20 × 50	4.0	120
W2050255	2000	500	20 × 50	5.0	120
W2050213	2000	500	20 × 100	3.0	120
W2050214	2000	500	20 × 100	4.0	120
W2050215	2000	500	20 × 100	5.0	120
W2050333	2000	500	30 × 30	3.0	120
W2050334	2000	500	30 × 30	4.0	120
W2050335	2000	500	30 × 30	5.0	120
W2050443	2000	500	40 × 40	3.0	200
W2050444	2000	500	40 × 40	4.0	200
W2050445	2000	500	40 × 40	5.0	200

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W2050553	2000	500	50 × 50	3.0	850
W2050554	2000	500	50 × 50	4.0	850
W2050555	2000	500	50 × 50	5.0	850
W2075253	2000	750	20 × 50	3.0	120
W2075254	2000	750	20 × 50	4.0	120
W2075255	2000	750	20 × 50	5.0	120
W2075213	2000	750	20 × 100	3.0	120
W2075214	2000	750	20 × 100	4.0	120
W2075215	2000	750	20 × 100	5.0	120
W2075333	2000	750	30 × 30	3.0	120
W2075334	2000	750	30 × 30	4.0	120
W2075335	2000	750	30 × 30	5.0	120
W2075443	2000	750	40 × 40	3.0	200
W2075444	2000	750	40 × 40	4.0	200
W2075445	2000	750	40 × 40	5.0	200
W2075553	2000	750	50 × 50	3.0	850
W2075554	2000	750	50 × 50	4.0	850
W2075555	2000	750	50 × 50	5.0	850
W20100253	2000	1000	20 × 50	3.0	120
W20100254	2000	1000	20 × 50	4.0	120
W20100255	2000	1000	20 × 50	5.0	120
W20100213	2000	1000	20 × 100	3.0	120
W20100214	2000	1000	20 × 100	4.0	120
W20100215	2000	1000	20 × 100	5.0	120
W20100333	2000	1000	30 × 30	3.0	120
W20100334	2000	1000	30 × 30	4.0	120
W20100335	2000	1000	30 × 30	5.0	120



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W2025253	2000	250	20 × 50	3.0	120
W2025254	2000	250	20 × 50	4.0	120
W2025255	2000	250	20 × 50	5.0	120
W2025213	2000	250	20 × 100	3.0	120
W2025214	2000	250	20 × 100	4.0	120
W2025215	2000	250	20 × 100	5.0	120
W2025333	2000	250	30 × 30	3.0	120
W2025334	2000	250	30 × 30	4.0	120
W2025335	2000	250	30 × 30	5.0	120
W2025443	2000	250	40 × 40	3.0	200
W2025444	2000	250	40 × 40	4.0	200
W2025445	2000	250	40 × 40	5.0	200
W2025553	2000	250	50 × 50	3.0	850
W2025554	2000	250	50 × 50	4.0	850
W2025555	2000	250	50 × 50	5.0	850
W2050253	2000	500	20 × 50	3.0	120
W2050254	2000	500	20 × 50	4.0	120
W2050255	2000	500	20 × 50	5.0	120
W2050213	2000	500	20 × 100	3.0	120
W2050214	2000	500	20 × 100	4.0	120
W2050215	2000	500	20 × 100	5.0	120
W2050333	2000	500	30 × 30	3.0	120
W2050334	2000	500	30 × 30	4.0	120
W2050335	2000	500	30 × 30	5.0	120
W2050443	2000	500	40 × 40	3.0	200
W2050444	2000	500	40 × 40	4.0	200
W2050445	2000	500	40 × 40	5.0	200
W20100443	2000	1000	40 × 40	3.0	200
W20100444	2000	1000	40 × 40	4.0	200
W20100445	2000	1000	40 × 40	5.0	200
W20100553	2000	1000	50 × 50	3.0	850
W20100554	2000	1000	50 × 50	4.0	850
W20100555	2000	1000	50 × 50	5.0	850
W20125253	2000	1250	20 × 50	3.0	120
W20125254	2000	1250	20 × 50	4.0	120
W20125255	2000	1250	20 × 50	5.0	120
W20125213	2000	1250	20 × 100	3.0	120
W20125214	2000	1250	20 × 100	4.0	120
W20125215	2000	1250	20 × 100	5.0	120
W20125333	2000	1250	30 × 30	3.0	120
W20125334	2000	1250	30 × 30	4.0	120
W2050553	2000	500	50 × 50	3.0	850
W2050554	2000	500	50 × 50	4.0	850
W2050555	2000	500	50 × 50	5.0	850
W2075253	2000	750	20 × 50	3.0	120

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W2075254	2000	750	20 × 50	4.0	120
W2075255	2000	750	20 × 50	5.0	120
W2075213	2000	750	20 × 100	3.0	120
W2075214	2000	750	20 × 100	4.0	120
W2075215	2000	750	20 × 100	5.0	120
W2075333	2000	750	30 × 30	3.0	120
W2075334	2000	750	30 × 30	4.0	120
W2075335	2000	750	30 × 30	5.0	120
W2075443	2000	750	40 × 40	3.0	200
W2075444	2000	750	40 × 40	4.0	200
W2075445	2000	750	40 × 40	5.0	200
W2075553	2000	750	50 × 50	3.0	850
W2075554	2000	750	50 × 50	4.0	850
W2075555	2000	750	50 × 50	5.0	850
W20100253	2000	1000	20 × 50	3.0	120
W20100254	2000	1000	20 × 50	4.0	120
W20100255	2000	1000	20 × 50	5.0	120
W20100213	2000	1000	20 × 100	3.0	120
W20100214	2000	1000	20 × 100	4.0	120
W20100215	2000	1000	20 × 100	5.0	120
W20100333	2000	1000	30 × 30	3.0	120
W20100334	2000	1000	30 × 30	4.0	120
W20100335	2000	1000	30 × 30	5.0	120
W20125335	2000	1250	30 × 30	5.0	120
W20125443	2000	1250	40 × 40	3.0	200
W20125444	2000	1250	40 × 40	4.0	200
W20125445	2000	1250	40 × 40	5.0	200
W20125553	2000	1250	50 × 50	3.0	850
W20125554	2000	1250	50 × 50	4.0	850
W20125555	2000	1250	50 × 50	5.0	850
W20150253	2000	1500	20 × 50	3.0	120
W20150254	2000	1500	20 × 50	4.0	120
W20150255	2000	1500	20 × 50	5.0	120
W20150213	2000	1500	20 × 100	3.0	120
W20150214	2000	1500	20 × 100	4.0	120
W20150215	2000	1500	20 × 100	5.0	120
W20150333	2000	1500	30 × 30	3.0	120
W20150334	2000	1500	30 × 30	4.0	120
W20150335	2000	1500	30 × 30	5.0	120
W20150443	2000	1500	40 × 40	3.0	200
W20150444	2000	1500	40 × 40	4.0	200
W20150445	2000	1500	40 × 40	5.0	200
W20150553	2000	1500	50 × 50	3.0	850
W20150554	2000	1500	50 × 50	4.0	850
W20150555	2000	1500	50 × 50	5.0	850



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W20175253	2000	1750	20 × 50	3.0	120
W20175254	2000	1750	20 × 50	4.0	120
W20175255	2000	1750	20 × 50	5.0	120
W20175213	2000	1750	20 × 100	3.0	120
W20175214	2000	1750	20 × 100	4.0	120
W20175215	2000	1750	20 × 100	5.0	120
W20175333	2000	1750	30 × 30	3.0	120
W20175334	2000	1750	30 × 30	4.0	120
W20175335	2000	1750	30 × 30	5.0	120
W20175443	2000	1750	40 × 40	3.0	200
W20175444	2000	1750	40 × 40	4.0	200
W20175445	2000	1750	40 × 40	5.0	200
W20175553	2000	1750	50 × 50	3.0	850
W20175554	2000	1750	50 × 50	4.0	850
W20175555	2000	1750	50 × 50	5.0	850
W20200253	2000	2000	20 × 50	3.0	120
W20200254	2000	2000	20 × 50	4.0	120
W20200255	2000	2000	20 × 50	5.0	120
W20200213	2000	2000	20 × 100	3.0	120
W20200214	2000	2000	20 × 100	4.0	120
W20200215	2000	2000	20 × 100	5.0	120
W20200333	2000	2000	30 × 30	3.0	120
W20200334	2000	2000	30 × 30	4.0	120
W20200335	2000	2000	30 × 30	5.0	120
W20200443	2000	2000	40 × 40	3.0	200
W20200444	2000	2000	40 × 40	4.0	200
W20200445	2000	2000	40 × 40	5.0	200
W20200553	2000	2000	50 × 50	3.0	850
W20200554	2000	2000	50 × 50	4.0	850
W20200555	2000	2000	50 × 50	5.0	850
W2225253	2200	250	20 × 50	3.0	120
W2225254	2200	250	20 × 50	4.0	120
W2225255	2200	250	20 × 50	5.0	120
W2225213	2200	250	20 × 100	3.0	120
W2225214	2200	250	20 × 100	4.0	120
W2225215	2200	250	20 × 100	5.0	120
W2225333	2200	250	30 × 30	3.0	120
W2225334	2200	250	30 × 30	4.0	120
W2225335	2200	250	30 × 30	5.0	120
W2225443	2200	250	40 × 40	3.0	200
W2225444	2200	250	40 × 40	4.0	200
W2225445	2200	250	40 × 40	5.0	200
W2225553	2200	250	50 × 50	3.0	850
W2225554	2200	250	50 × 50	4.0	850
W2225555	2200	250	50 × 50	5.0	850

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W2250253	2200	500	20 × 50	3.0	120
W2250254	2200	500	20 × 50	4.0	120
W2250255	2200	500	20 × 50	5.0	120
W2250213	2200	500	20 × 100	3.0	120
W2250214	2200	500	20 × 100	4.0	120
W2250215	2200	500	20 × 100	5.0	120
W2250333	2200	500	30 × 30	3.0	120
W2250334	2200	500	30 × 30	4.0	120
W2250335	2200	500	30 × 30	5.0	120
W2250443	2200	500	40 × 40	3.0	200
W2250444	2200	500	40 × 40	4.0	200
W2250445	2200	500	40 × 40	5.0	200
W2250553	2200	500	50 × 50	3.0	850
W2250554	2200	500	50 × 50	4.0	850
W2250555	2200	500	50 × 50	5.0	850
W2275253	2200	750	20 × 50	3.0	120
W2275254	2200	750	20 × 50	4.0	120
W2275255	2200	750	20 × 50	5.0	120
W2275213	2200	750	20 × 100	3.0	120
W2275214	2200	750	20 × 100	4.0	120
W2275215	2200	750	20 × 100	5.0	120
W2275333	2200	750	30 × 30	3.0	120
W2275334	2200	750	30 × 30	4.0	120
W2275335	2200	750	30 × 30	5.0	120
W2275443	2200	750	40 × 40	3.0	200
W2275444	2200	750	40 × 40	4.0	200
W2275445	2200	750	40 × 40	5.0	200
W2275553	2200	750	50 × 50	3.0	850
W2275554	2200	750	50 × 50	4.0	850
W2275555	2200	750	50 × 50	5.0	850
W22100253	2200	1000	20 × 50	3.0	120
W22100254	2200	1000	20 × 50	4.0	120
W22100255	2200	1000	20 × 50	5.0	120
W22100213	2200	1000	20 × 100	3.0	120
W22100214	2200	1000	20 × 100	4.0	120
W22100215	2200	1000	20 × 100	5.0	120
W22100333	2200	1000	30 × 30	3.0	120
W22100334	2200	1000	30 × 30	4.0	120
W22100335	2200	1000	30 × 30	5.0	120
W22100443	2200	1000	40 × 40	3.0	200
W22100444	2200	1000	40 × 40	4.0	200
W22100445	2200	1000	40 × 40	5.0	200
W22100553	2200	1000	50 × 50	3.0	850
W22100554	2200	1000	50 × 50	4.0	850
W22100555	2200	1000	50 × 50	5.0	850



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W22125253	2200	1250	20 × 50	3.0	120
W22125254	2200	1250	20 × 50	4.0	120
W22125255	2200	1250	20 × 50	5.0	120
W22125213	2200	1250	20 × 100	3.0	120
W22125214	2200	1250	20 × 100	4.0	120
W22125215	2200	1250	20 × 100	5.0	120
W22125333	2200	1250	30 × 30	3.0	120
W22125334	2200	1250	30 × 30	4.0	120
W22125335	2200	1250	30 × 30	5.0	120
W22125443	2200	1250	40 × 40	3.0	200
W22125444	2200	1250	40 × 40	4.0	200
W22125445	2200	1250	40 × 40	5.0	200
W22125553	2200	1250	50 × 50	3.0	850
W22125554	2200	1250	50 × 50	4.0	850
W22125555	2200	1250	50 × 50	5.0	850
W22150253	2200	1500	20 × 50	3.0	120
W22150254	2200	1500	20 × 50	4.0	120
W22150255	2200	1500	20 × 50	5.0	120
W22150213	2200	1500	20 × 100	3.0	120
W22150214	2200	1500	20 × 100	4.0	120
W22150215	2200	1500	20 × 100	5.0	120
W22150333	2200	1500	30 × 30	3.0	120
W22150334	2200	1500	30 × 30	4.0	120
W22150335	2200	1500	30 × 30	5.0	120
W22150443	2200	1500	40 × 40	3.0	200
W22150444	2200	1500	40 × 40	4.0	200
W22150445	2200	1500	40 × 40	5.0	200
W22150553	2200	1500	50 × 50	3.0	850
W22150554	2200	1500	50 × 50	4.0	850
W22150555	2200	1500	50 × 50	5.0	850
W22175253	2200	1750	20 × 50	3.0	120
W22175254	2200	1750	20 × 50	4.0	120
W22175255	2200	1750	20 × 50	5.0	120
W22175213	2200	1750	20 × 100	3.0	120
W22175214	2200	1750	20 × 100	4.0	120
W22175215	2200	1750	20 × 100	5.0	120
W22175333	2200	1750	30 × 30	3.0	120
W22175334	2200	1750	30 × 30	4.0	120
W22175335	2200	1750	30 × 30	5.0	120
W22175443	2200	1750	40 × 40	3.0	200
W22175444	2200	1750	40 × 40	4.0	200
W22175445	2200	1750	40 × 40	5.0	200
W22175553	2200	1750	50 × 50	3.0	850
W22175554	2200	1750	50 × 50	4.0	850
W22175555	2200	1750	50 × 50	5.0	850

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W22200253	2200	2000	20 × 50	3.0	120
W22200254	2200	2000	20 × 50	4.0	120
W22200255	2200	2000	20 × 50	5.0	120
W22200213	2200	2000	20 × 100	3.0	120
W22200214	2200	2000	20 × 100	4.0	120
W22200215	2200	2000	20 × 100	5.0	120
W22200333	2200	2000	30 × 30	3.0	120
W22200334	2200	2000	30 × 30	4.0	120
W22200335	2200	2000	30 × 30	5.0	120
W22200443	2200	2000	40 × 40	3.0	200
W22200444	2200	2000	40 × 40	4.0	200
W22200445	2200	2000	40 × 40	5.0	200
W22200553	2200	2000	50 × 50	3.0	850
W22200554	2200	2000	50 × 50	4.0	850
W22200555	2200	2000	50 × 50	5.0	850
W2525253	2500	250	20 × 50	3.0	120
W2525254	2500	250	20 × 50	4.0	120
W2525255	2500	250	20 × 50	5.0	120
W2525213	2500	250	20 × 100	3.0	120
W2525214	2500	250	20 × 100	4.0	120
W2525215	2500	250	20 × 100	5.0	120
W2525333	2500	250	30 × 30	3.0	120
W2525334	2500	250	30 × 30	4.0	120
W2525335	2500	250	30 × 30	5.0	120
W2525443	2500	250	40 × 40	3.0	200
W2525444	2500	250	40 × 40	4.0	200
W2525445	2500	250	40 × 40	5.0	200
W2525553	2500	250	50 × 50	3.0	850
W2525554	2500	250	50 × 50	4.0	850
W2525555	2500	250	50 × 50	5.0	850
W2550253	2500	500	20 × 50	3.0	120
W2550254	2500	500	20 × 50	4.0	120
W2550255	2500	500	20 × 50	5.0	120
W2550213	2500	500	20 × 100	3.0	120
W2550214	2500	500	20 × 100	4.0	120
W2550215	2500	500	20 × 100	5.0	120
W2550333	2500	500	30 × 30	3.0	120
W2550334	2500	500	30 × 30	4.0	120
W2550335	2500	500	30 × 30	5.0	120
W2550443	2500	500	40 × 40	3.0	200
W2550444	2500	500	40 × 40	4.0	200
W2550445	2500	500	40 × 40	5.0	200
W2550553	2500	500	50 × 50	3.0	850
W2550554	2500	500	50 × 50	4.0	850
W2550555	2500	500	50 × 50	5.0	850



	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W2575253	2500	750	20 × 50	3.0	120
W2575254	2500	750	20 × 50	4.0	120
W2575255	2500	750	20 × 50	5.0	120
W2575213	2500	750	20 × 100	3.0	120
W2575214	2500	750	20 × 100	4.0	120
W2575215	2500	750	20 × 100	5.0	120
W2575333	2500	750	30 × 30	3.0	120
W2575334	2500	750	30 × 30	4.0	120
W2575335	2500	750	30 × 30	5.0	120
W2575443	2500	750	40 × 40	3.0	200
W2575444	2500	750	40 × 40	4.0	200
W2575445	2500	750	40 × 40	5.0	200
W2575553	2500	750	50 × 50	3.0	850
W2575554	2500	750	50 × 50	4.0	850
W2575555	2500	750	50 × 50	5.0	850
W25100253	2500	1000	20 × 50	3.0	120
W25100254	2500	1000	20 × 50	4.0	120
W25100255	2500	1000	20 × 50	5.0	120
W25100213	2500	1000	20 × 100	3.0	120
W25100214	2500	1000	20 × 100	4.0	120
W25100215	2500	1000	20 × 100	5.0	120
W25100333	2500	1000	30 × 30	3.0	120
W25100334	2500	1000	30 × 30	4.0	120
W25100335	2500	1000	30 × 30	5.0	120
W25100443	2500	1000	40 × 40	3.0	200
W25100444	2500	1000	40 × 40	4.0	200
W25100445	2500	1000	40 × 40	5.0	200
W25100553	2500	1000	50 × 50	3.0	850
W25100554	2500	1000	50 × 50	4.0	850
W25100555	2500	1000	50 × 50	5.0	850
W25125253	2500	1250	20 × 50	3.0	120
W25125254	2500	1250	20 × 50	4.0	120
W25125255	2500	1250	20 × 50	5.0	120
W25125213	2500	1250	20 × 100	3.0	120
W25125214	2500	1250	20 × 100	4.0	120
W25125215	2500	1250	20 × 100	5.0	120
W25125333	2500	1250	30 × 30	3.0	120
W25125334	2500	1250	30 × 30	4.0	120
W25125335	2500	1250	30 × 30	5.0	120
W25125443	2500	1250	40 × 40	3.0	200
W25125444	2500	1250	40 × 40	4.0	200
W25125445	2500	1250	40 × 40	5.0	200
W25125553	2500	1250	50 × 50	3.0	850
W25125554	2500	1250	50 × 50	4.0	850
W25125555	2500	1250	50 × 50	5.0	850

	Height (mm)	Width (mm)	Mesh Size (mm)	Wire Diameter (mm)	Safety Distance (mm)
W25150253	2500	1500	20 × 50	3.0	120
W25150254	2500	1500	20 × 50	4.0	120
W25150255	2500	1500	20 × 50	5.0	120
W25150213	2500	1500	20 × 100	3.0	120
W25150214	2500	1500	20 × 100	4.0	120
W25150215	2500	1500	20 × 100	5.0	120
W25150333	2500	1500	30 × 30	3.0	120
W25150334	2500	1500	30 × 30	4.0	120
W25150335	2500	1500	30 × 30	5.0	120
W25150443	2500	1500	40 × 40	3.0	200
W25150444	2500	1500	40 × 40	4.0	200
W25150445	2500	1500	40 × 40	5.0	200
W25150553	2500	1500	50 × 50	3.0	850
W25150554	2500	1500	50 × 50	4.0	850
W25150555	2500	1500	50 × 50	5.0	850
W25175253	2500	1750	20 × 50	3.0	120
W25175254	2500	1750	20 × 50	4.0	120
W25175255	2500	1750	20 × 50	5.0	120
W25175213	2500	1750	20 × 100	3.0	120
W25175214	2500	1750	20 × 100	4.0	120
W25175215	2500	1750	20 × 100	5.0	120
W25175333	2500	1750	30 × 30	3.0	120
W25175334	2500	1750	30 × 30	4.0	120
W25175335	2500	1750	30 × 30	5.0	120
W25175443	2500	1750	40 × 40	3.0	200
W25175444	2500	1750	40 × 40	4.0	200
W25175445	2500	1750	40 × 40	5.0	200
W25175553	2500	1750	50 × 50	3.0	850
W25175554	2500	1750	50 × 50	4.0	850
W25175555	2500	1750	50 × 50	5.0	850
W25200253	2500	2000	20 × 50	3.0	120
W25200254	2500	2000	20 × 50	4.0	120
W25200255	2500	2000	20 × 50	5.0	120
W25200213	2500	2000	20 × 100	3.0	120
W25200214	2500	2000	20 × 100	4.0	120
W25200215	2500	2000	20 × 100	5.0	120
W25200333	2500	2000	30 × 30	3.0	120
W25200334	2500	2000	30 × 30	4.0	120
W25200335	2500	2000	30 × 30	5.0	120
W25200443	2500	2000	40 × 40	3.0	200
W25200444	2500	2000	40 × 40	4.0	200
W25200445	2500	2000	40 × 40	5.0	200
W25200553	2500	2000	50 × 50	3.0	850
W25200554	2500	2000	50 × 50	4.0	850
W25200555	2500	2000	50 × 50	5.0	850